



Wandsworth LA Calculation Policy 2014

Wandsworth LA Calculation Policy document written by **Nicki Ashton & Catherine Brown**, Primary Teaching & Learning Consultants (Mathematics).

Acknowledgements

With thanks to the contributions from the Wandsworth Primary Curriculum Development Group:


Amelia Alcock	Albemarle Primary School
Michael Foyn	Allfarthing Primary School
Annie Ball	Brandlehow Primary School
Alex Smeed	Eardley Primary School
Tom Oakley	Earlsfield Primary School
Vivienne Dompereh	Franciscan Primary School
Hattie Elwes	Holy Ghost Primary School
Mary-Rose McKenna	Holy Ghost Primary School
Eimear Burke	Our Lady Queen of Heaven Primary School
Taryn Black	Riversdale Primary School
Kelly Ranford	Sacred Heart (Roe) RC Primary School
Lisa Platts	St Boniface Primary School
Simon Gallant	The Alton Primary School

Wandsworth LA Calculation Policy, 2014


Introduction and rationale

The Wandsworth LA Calculation Policy has been written by a team of LA consultants, leading teachers and maths specialists to support schools in the implementation of the new National Curriculum (2013). A document for each operation addresses what and how to teach year by year. The policy lays out expectations for both mental and written calculations (generally collated for Key Stage 1), including calculation of fractions, and includes statements from the national curriculum and supplementary guidance as below:

- National Curriculum statutory statements - in **bold**
- National Curriculum non-statutory guidance - in *italics*
- Additional/Supplementary guidance - plain text




$$\begin{array}{r} 200 + 30 + 4 \\ 500 + 20 + 7 \\ 700 + 60 + 1 \\ \hline 10 \end{array} \quad \begin{array}{r} 234 \\ + 527 \\ \hline 761 \end{array}$$




Orange boxes provide teaching guidance and tips, whilst speech bubbles denote examples either of key questions a teacher might ask or of children's thinking/ speaking. A vocabulary list is provided to encapsulate suggested vocabulary for each year group. This is not exhaustive. See 'Mathematics glossary for teachers in Key stages 1 to 3' on the NCETM <https://www.ncetm.org.uk/resources/42990#glossary>.

Representations



Key to successful implementation of a school calculation policy is consistent use of representations (model and images that support conceptual understanding of the mathematics) and this policy promotes a range of relevant representations, across the primary years. Mathematical understanding is developed through use of representations that are first of all concrete (e.g. Numicon, Dienes apparatus), and then pictorial (e.g. Array, place value counters) to then facilitate abstract working (e.g. Columnar addition, long multiplication). This

policy guides teachers through an appropriate progression of representations, and if at any point a pupil is struggling they should revert to familiar pictorial and/or concrete materials/ representations as appropriate. Whilst a mathematically fluent child will be able to choose the most appropriate representation and procedure to carry out a calculation, whether written or mental, schools should support pupils with carefully selected representations that underpin calculation methods (as detailed in this policy), and ensure there is consistency across year groups. The 'Representations to support mental and written calculation' box on each page provides a range of models and images that underpin calculating in that year group. It is not an exhaustive collection, and applies to both mental and written calculation in most circumstances. Additional specific examples are included inside mental and written calculation boxes.



Progression in Calculation

The Wandsworth LA calculation policy promotes particular methods and procedures with particular representations alongside to support understanding of calculation, in order to meet requirements (use of columnar methods from Year 3 onwards for all four operations, including long multiplication and long division in Year 5/6). It is recommended that schools ensure consistency in both procedure and conceptual understanding to ensure fluency and confidence with written methods. This policy guides schools in progression for each operation to ensure smooth transition. It is important that conceptual understanding, supported by the use of representations, is secure for procedures, and if at any point a pupil is struggling with a procedure, they should revert to concrete and/or pictorial resources and representations to solidify understanding.

x	8	0.4	0.06
11	88	4.4	0.66

Videos to support mathematical teaching and learning

Multiplication

<https://www.ncetm.org.uk/resources/40530>

KS1 - Multiple Representations of Multiplication
KS1 - The commutative law for multiplication
Lower KS2 - Grid multiplication as an interim step
Upper KS2 - Moving from grid to a column

Algebra

<https://www.ncetm.org.uk/resources/43649>

KS1 - Look at 'missing numbers'
KS2 - Equations and substitution
KS3 - Factorising*

Number facts

<https://www.ncetm.org.uk/resources/40533>

KS1 - Number bonds to ten
KS1 - Consolidation and practice (Addition and Subtraction)
KS1 - Reinforcing Table Facts
KS1 - Rapid recall of multiplication facts

Division

<https://www.ncetm.org.uk/resources/43589>

KS1 - Sharing and grouping
KS2 - Place value counters for division
KS3 - Group working on problems*

Number and Place value

<https://www.ncetm.org.uk/resources/40534>

KS1 - Counting in steps of one and ten
KS1 - Partitioning in different ways
KS1 - Addition and Subtraction
KS1 - Using resources to develop fluency and understanding
KS2 - Partitioning (subtraction)

Fractions

<https://www.ncetm.org.uk/resources/43609>

KS1 - Adding fractions and mixed numbers
KS2 - Using an array to add fractions
KS2 - Bar model dividing by fractions
KS3 - Fraction wall to add fractions*

Subtraction

<https://www.ncetm.org.uk/resources/40532>

Lower KS2 - Partitioning
Lower KS2 - Discussing Subtraction Strategies
Lower KS2 - Developing Column Subtraction
Upper KS2 - Column Subtraction

Multiplicative reasoning

<https://www.ncetm.org.uk/resources/43669>

KS2 - Bar model for multiplication
KS3 - Ratio and proportion*





Wandsworth LA Calculation Policy for addition: Year 1

<p>Calculations</p> <p>Mental</p>	<ul style="list-style-type: none"> •Read, write and interpret mathematical statements using symbols +, -, = •Represent and use number bonds and related addition facts within 20 •Add one digit and two-digit numbers up to 20, including zero. •Solve one-step problems using concrete objects and pictorial representations, and missing number problems such as $7 = \square - 9$ •Given a number, identify (and use the language) one more
<p>Calculations</p> <p>Written</p>	<ul style="list-style-type: none"> •Begin to compare (what's the same/different?) for commutative sums e.g $3 + 7 = 7 + 3$ •Memorise and reason with number bonds to 10 & 20 in several forms •Add using objects, Numicon, cubes etc and number lines and tracks •Check with everyday objects •Ensure pre-calculation steps are understood, including: <ul style="list-style-type: none"> •Counting objects (including solving simple concrete problems) •Conservation of number: •Recognise place value in numbers beyond 20 •Counting as reciting and as enumerating <div data-bbox="1214 531 1333 604" data-label="Image"> </div> <div data-bbox="1320 627 1515 751" data-label="Image"> </div> <div data-bbox="951 709 1193 772" data-label="Image"> </div>
<p>Representations to support mental and written calculations.</p>	<p>Use a range of concrete and pictorial representations, including:</p> <div data-bbox="245 856 493 1152" data-label="Image"> </div> <div data-bbox="592 909 760 1098" data-label="Image"> </div> <div data-bbox="833 909 1149 1050" data-label="Image"> </div> <div data-bbox="1235 892 1534 966" data-label="Image"> </div> <div data-bbox="1222 997 1546 1098" data-label="Image"> </div> <div data-bbox="1295 1108 1474 1140" data-label="Caption"> <p>Number lines</p> </div> <div data-bbox="943 1087 1052 1194" data-label="Image"> </div> <div data-bbox="230 1230 557 1344" data-label="Image"> </div> <div data-bbox="673 1230 912 1337" data-label="Image"> </div> <div data-bbox="703 1354 865 1388" data-label="Caption"> <p>Bead strings</p> </div> <div data-bbox="1003 1230 1222 1293" data-label="Image"> </div> <div data-bbox="1011 1308 1211 1341" data-label="Caption"> <p>Number tracks</p> </div> <div data-bbox="1369 1192 1490 1352" data-label="Image"> </div> <div data-bbox="282 1373 477 1449" data-label="Image"> </div> <div data-bbox="253 1457 542 1491" data-label="Caption"> <p>Real everyday objects</p> </div> <div data-bbox="1328 1396 1539 1453" data-label="Image"> </div>
<p>Links from other strands</p>	<ul style="list-style-type: none"> • Combine and increase numbers, counting forwards and backwards. • Develop the concept of addition and subtraction and ... use these operations flexibly. • Discuss and solve problems in familiar practical contexts, including using quantities • Compare, describe and solve practical [measure] problems e.g. longer, more than, heavier than • Problems terminology should include: put together, add, altogether, total, take away, distance between, difference between, more than and less than.

Wandsworth LA Calculation Policy for addition: Year 2

Mental Calculations	<p>Add numbers using concrete objects, pictorial representations, and mentally, including:</p> <ul style="list-style-type: none"> a two-digit number and ones a two-digit number and tens two two-digit numbers adding three one-digit numbers <p>Recall and use addition and subtraction facts to 20 facts fluently, and derive and use related facts up to 100</p> <p>Demonstrate the commutative law of addition</p> <p>Re-partition numbers eg.</p> <p>Use a hundred square</p> <p>Check calculations using inverse and by adding numbers in different order</p> <p>Begin to record addition in columns to support place value and prepare for formal written methods with larger numbers</p>
Written Calculations	<p>17 + 2 = 19 12 + 4 = 16</p> <p>57 + 2 = 59 32 + 34 = 66</p> <p>12 + 30 = 30 + 12</p> <p>$\square + 25 = 25 + 41$</p> <div data-bbox="1291 409 1412 562"> <p>65 = 60 + 5</p> <p>65 = 50 + 15</p> <p>65 = 40 + 25</p> <p>65 = 30 + 35</p> <p>65 = 20 + 45</p> <p>65 = 10 + 55</p> </div> <p>30 + 4</p> <p>20 + 5</p> <p>50 + 9</p>
Representations to support mental and written calculations.	<p>Use a range of concrete and pictorial representations, including:</p> <div data-bbox="227 840 470 1134"> </div> <div data-bbox="568 840 738 1029"> </div> <div data-bbox="950 840 1193 945"> <p>Bead strings</p> </div> <div data-bbox="1258 787 1526 1050"> <p>Number lines</p> </div> <div data-bbox="219 1207 349 1365"> </div> <div data-bbox="365 1207 657 1312"> </div> <div data-bbox="641 1039 958 1186"> </div> <div data-bbox="722 1207 917 1281"> <p>Real everyday objects</p> </div> <div data-bbox="982 1029 1185 1228"> </div> <div data-bbox="1291 1144 1510 1207"> <p>Number tracks</p> </div>
Fractions	<p>Counting in fractions up to 10, starting from any numbers and using the 1/2 and 2/4 equivalence on the number line</p> <div data-bbox="1177 1480 1502 1533"> </div>
Links from other strands	<p>Solve problems:</p> <ul style="list-style-type: none"> Using concrete objects, pictorial representations (numbers, quantities & measures) Applying increasing knowledge of mental & written methods Partition numbers in different ways Discuss and solve problems that emphasise the value of each digit in two-digit numbers <p>(They should) develop the concept of addition and subtraction and ... use these operations flexibly. (Number-addition and subtraction, Non-statutory guidance.)</p>

Wandsworth LA Calculation Policy for addition: Year 3

Mental Calculations	<p>Add numbers mentally, including:</p> <ul style="list-style-type: none"> a three-digit number and ones a three-digit number and tens a three digit number and hundreds Partition all numbers and recombine, start with TU + TU then HTU + TU Use straws, dienes, place value counters, empty number lines <div data-bbox="1023 174 1516 495" style="border: 1px solid black; padding: 5px;"> <p>Common mental calculation strategies:</p> <p>Partitioning and recombining Doubles and near doubles Use number pairs to 10 and 100 Adding near multiples of ten and adjusting Using patterns of similar calculations Using known number facts Bridging though ten, hundred Complementary addition</p> </div>
Written Calculations	<p>Add numbers with up to three digits, using formal written (columnar) methods</p> <p>Add to three digit numbers using physical and abstract representations (e.g. straws, dienes, place value counters, empty number lines)</p> <ul style="list-style-type: none"> raws, dienes, place value counters, empty number lines <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="border: 1px solid black; padding: 5px;"> $\begin{array}{r} 30 + 4 \\ 20 + 5 \\ 50 + 9 \end{array} \quad \begin{array}{r} 34 \\ +25 \\ 59 \end{array}$ </div> <div style="border: 1px solid black; padding: 5px;"> $\begin{array}{r} 200 + 30 + 4 \\ 500 + 20 + 7 \\ 700 + 60 + 1 \\ 10 \end{array} \quad \begin{array}{r} 234 \\ + 527 \\ 761 \\ 1 \end{array}$ </div> </div> <div style="background-color: orange; text-align: center; padding: 5px; margin-top: 10px;"> Revert to concrete representations if children find expanded/column methods difficult </div>
Representations to support mental and written calculations.	<p>Use a range of concrete, pictorial and abstract representations, including those below</p> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p>Bundles of straws</p>  <p>42 + 31 = 73</p> </div> <div style="border: 1px solid black; padding: 5px;"> $\begin{array}{l} 0 + 50 + 3 \\ 10 + 40 + 3 \\ 20 + 30 + 3 \\ 30 + 20 + 3 \\ 40 + 10 + 3 \\ 50 + 0 + 3 \end{array}$ </div> <div style="text-align: center;">  </div> <div style="border: 1px solid black; border-radius: 50%; padding: 10px; background-color: #e0f0ff; width: 200px; text-align: center;"> <p>I can explain my method using representations</p> </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="border: 1px solid black; padding: 5px;"> $\begin{array}{r} 76 + 21 \\ = 70 + 6 + 20 + 1 \\ = 90 + 7 = 97 \end{array}$ </div> <div style="border: 1px solid black; border-radius: 50%; padding: 10px; background-color: #ffe0e0; width: 200px; text-align: center;"> <p>What is the same and what is different about all these methods?</p> </div> <div style="text-align: center;">  <p>Dienes and place value counters</p> </div> </div> <p style="text-align: center; margin-top: 10px;">Partitioning and recombining</p>
Fractions	<p>Addition of fractions with the same denominator within one whole.</p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"> <p style="text-align: center;">Addition of fractions with the same denominator</p> $\frac{2}{5} + \frac{3}{5} = \frac{5}{5}$  </div>
Links from other strands	<p>Pupils should estimate the answers to a calculation & use inverse operations to check answers.</p> <p>Add amounts of money using both £ and p in practical contexts.</p> <p>Measure, compare and add lengths (m/cm/mm), mass (kg/g) & volume/capacity (l/ml)</p>

Wandsworth LA Calculation Policy for addition: Year 4

Informal methods to support mental Calculations	<p>Practise mental methods with increasingly large numbers</p> <p>Consolidate partitioning and re-partitioning Use compensation for adding too much/little and adjusting Use straws, Dienes, place value counters, empty number lines etc.</p> <div><div>I know that $63 + 29$ is the same as $63 + 30 - 1$</div><div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div></div>
---	---

Wandsworth LA Calculation Policy for addition: Year 5

<p>Informal methods to support mental Calculations</p>	<ul style="list-style-type: none"> • Add numbers mentally with increasingly large numbers, e.g. $12\ 462 + 2300 = 14\ 762$ • Mentally add tenths, and one-digit numbers and tenths • Add decimals, including a mix of whole numbers and decimals, decimals with different numbers of places, and complements of 1 (e.g. $0.83 + 0.17 = 1$) <p>Children use representation of choice Refer back to pictorial and physical representations when needed.</p> <div data-bbox="1036 296 1503 594"> <p>Common mental calculation strategies: Partitioning and recombining Doubles and near doubles Use number pairs to 10 and 100 Adding near multiples of ten and adjusting Using patterns of similar calculations Using known number facts Bridging though ten, hundred, tenth Complementary addition</p> </div>
<p>Written Calculations</p>	<p>Add whole numbers with more than four digits, using the formal written (columnar) method</p> <p>Add three digit numbers using columnar method and then move onto 4 digits. Include decimal addition for money</p> <div data-bbox="1057 764 1227 921"> $\begin{array}{r} 24172\text{m} \\ + 5929\text{m} \\ \hline 30101\text{m} \\ \hline 1\ 1\ 1\ 1 \end{array}$ </div> <div data-bbox="1338 720 1531 900"> $\begin{array}{r} \text{£}563.14 \\ + \text{£}207.88 \\ \hline \text{£}771.02 \\ \hline 1\ 1\ 1 \end{array}$ </div> <div data-bbox="220 953 1539 1020" style="background-color: orange; text-align: center;"> <p>Revert to expanded methods if children find formal calculation method difficult (see Y3)</p> </div>
<p>Representations to support mental and written calculations.</p>	<p>Use physical/pictorial representations alongside columnar methods where needed.</p> <div data-bbox="224 1087 467 1209"> $\begin{aligned} 12\ 462 + 2300 \\ = 12\ 462 + 2000 + 300 \\ = 14\ 462 + 300 \\ = 14\ 762 \end{aligned}$ </div> <p>Partitioning and recombining</p> <div data-bbox="532 1087 906 1297"> <p>Ask what is the same and what is different about all these methods?</p> </div> <div data-bbox="487 1230 776 1331"> </div> <p>Jottings to support mental calculation</p> <div data-bbox="1117 1104 1523 1310"> <p>Place Value counters to support column addition</p> $\begin{array}{r} 393 \\ + 308 \\ \hline 1 \\ \hline 1 \end{array}$ </div>
<p>Fractions</p>	<ul style="list-style-type: none"> • Add fractions with the same denominator and denominators that are multiples of the same number (to become fluent through a variety of increasingly complex problems and add fractions that exceed 1 as a mixed number) <div data-bbox="878 1535 1094 1629"> $\frac{1}{2} + \frac{3}{4} = \frac{2}{4} + \frac{3}{4} = \frac{5}{4}$ </div> <div data-bbox="1117 1524 1312 1625"> </div> <div data-bbox="1344 1436 1528 1625"> $\frac{1 + 1 = 5 + 4 = 9}{4\ 5\ 20\ 20\ 20}$ </div>
<p>Links from other strands</p>	<ul style="list-style-type: none"> • Solve problems involving up to three decimal numbers. • Solve addition and subtraction multi step problems in context, deciding which operations and methods to use and why • Use all four operations to solve problems involving measure [e.g. length, mass, volume, money] using decimal notation, • Calculate the perimeter of composite rectilinear squares in centimetres and metres • Use angle sum facts and other properties to make deductions about missing angles • Solve comparison, sum and difference problems using information presented in a line graph












Wandsworth LA Calculation Policy for addition: Year 6

Informal methods to support mental Calculations	<ul style="list-style-type: none"> Perform mental calculations, including with mixed operations and large numbers (<i>more complex calculations</i>) <p>Children use representation of choice Consolidate partitioning and re-partitioning Use compensation for adding too much/little and adjusting Refer back to pictorial and physical representations when needed.</p> <div data-bbox="1060 212 1531 497" style="border: 1px solid black; padding: 5px;"> Common mental calculation strategies: Partitioning and recombining Doubles and near doubles Use number pairs to 10 and 100 Adding near multiples of ten and adjusting Using patterns of similar calculations Using known number facts Bridging though ten, hundred, tenth Complementary addition </div>
Written Calculations	<p>Add larger numbers using the formal written (columnar) method</p> <p>Add three digit numbers using columnar method and then move onto 4 digits. Include decimal addition for money</p> <div data-bbox="1133 510 1328 688" style="border: 1px solid black; padding: 5px;"> $\begin{array}{r} \pounds 563.14 \\ + \pounds 207.88 \\ \hline \pounds 771.02 \\ 111 \end{array}$ </div> <div data-bbox="1356 510 1515 709" style="border: 1px solid black; padding: 5px;"> $789 + 642 \text{ becomes}$ $\begin{array}{r} 789 \\ + 642 \\ \hline 1431 \\ \hline \end{array}$ <p>Answer: 1431</p> </div> <div data-bbox="215 724 1539 785" style="background-color: orange; text-align: center; padding: 5px;"> Revert to expanded methods if children find formal calculation method difficult (see Y3) </div>
Representations to support mental and written calculations.	<p>Use physical/pictorial representations alongside columnar methods where needed. Ask what is the same and what is different?</p> <div data-bbox="232 877 475 997" style="border: 1px solid black; padding: 5px;"> $12\,462 + 2300$ $= 12\,462 + 2000 + 300$ $= 14\,462 + 300$ $= 14\,762$ </div> <p>Partitioning and recombining</p> <div data-bbox="557 888 849 993" style="border: 1px solid black; padding: 5px;"> </div> <div data-bbox="873 856 1182 1024" style="border: 1px solid black; padding: 5px;"> $234 \text{ kg} + 49 \text{ kg} = 273 \text{ kg}$ $200 + 30 + 4$ $40 + 9$ $200 + 70 + 13$ </div> <div data-bbox="1182 888 1531 1056" style="border: 1px solid green; border-radius: 50%; padding: 10px; background-color: #d9ead3;"> <p>I can explain my method using place value counters</p> </div> <div data-bbox="1182 1056 1531 1234" style="border: 1px solid black; padding: 5px;"> <p>Place Value counters to support column addition</p> </div> <div data-bbox="492 1108 1027 1224" style="border: 1px solid black; border-radius: 15px; padding: 10px; background-color: #f4cccc;"> <p>What is the same and what is different about all these methods?</p> </div>
Fractions	<ul style="list-style-type: none"> Add fractions with different denominators and mixed numbers, using the concept of equivalent fractions Start with fractions where the denominator of one fraction is a multiple of the other (e.g. $\frac{1}{2} + \frac{1}{8} = \frac{5}{8}$) and progress to varied and increasingly complex problems Practise calculations with simple fractions and decimal equivalents to aid fluency <div data-bbox="1263 1350 1531 1549" style="border: 1px solid black; padding: 5px;"> </div>
Links from other strands	<ul style="list-style-type: none"> Use their knowledge of the order of operations to carry out calculations involving the four operations (BIDMAS) Solve problems involving all four operations Algebra: use symbols and letters to represent variable and unknowns e.g. $a + b = b + a$ Solve problems involving the calculation and conversions of units of measure, using decimal notation of up to three decimal places where appropriate <i>Using the number line, pupils use, add and subtract positive and negative integers for measures such as temperature</i> Calculate and interpret the mean as an average Interpret and construct pie charts and line graphs and use these to solve problems Find missing angles, and express geometry relationships algebraically (e.g. $d = 2xr$)

Wandsworth LA Calculation Policy for subtraction Year 1

<p>Calculations</p> <p>Mental</p>	<p>Subtract one digit and two-digit numbers to 20, including zero.</p> <p>Read, write and interpret mathematical statements using symbols (+, -, =) signs.</p> <p>Represent and use number bonds and related addition facts within 20</p> <p>Solve one-step problems using concrete objects and pictorial representations, and missing number problems such as $7 = - 9$</p> <p>Memorise and reason with number bonds</p> <p>Add using objects, Numicon, cubes etc and number lines and tracks</p> <p>Check with everyday objects</p> <p>Ensure pre-calculation steps are understood, including:</p> <p>Counting objects,</p> <div data-bbox="624 539 868 602"> </div> <p>Conservation of number</p> <div data-bbox="927 434 1155 568"> </div> <div data-bbox="1193 327 1501 479"> <p>Understand subtraction as 'take away'</p> <p>Find a 'difference' by counting up:</p> </div>
<p>Calculations</p> <p>Written</p>	<p>Subtract one-digit and two-digit numbers to 20, including zero.</p> <p>$7 - 3 = \square$, $7 - \square = 4$</p> <p>$\square - 3 = 4$, $17 - 13 = \square$</p> <p>$17 - \square = 4$</p> <p>Read, write and interpret mathematical statements involving addition (+), subtraction (-) and equals (=) signs .</p> <div data-bbox="560 871 879 1028"> </div> <div data-bbox="1031 871 1493 1028"> </div> <p>Represent and use number bonds and related subtraction facts within 20.</p> <div data-bbox="1107 647 1514 808"> </div>
<p>Representations to support mental and written calculations.</p>	<p>Use a range of concrete and pictorial representations, including:</p> <div data-bbox="209 1128 333 1290"> </div> <p>Straw bundles</p> <div data-bbox="501 1184 608 1290"> </div> <p>Hands, and children themselves.</p> <div data-bbox="927 1178 1051 1290"> </div> <div data-bbox="1155 1099 1453 1173"> </div> <p>Bead strings, number tracks and lines</p> <div data-bbox="240 1296 493 1592"> </div> <div data-bbox="528 1335 700 1525"> </div> <div data-bbox="759 1364 1078 1509"> </div> <div data-bbox="1102 1256 1528 1576"> <p>Subtraction: Comparison Model</p> <p>Peter has 5 pencils and 3 erasers. How many more pencils than erasers does he have?</p> </div>
<p>Fractions</p>	
<p>Links from other strands</p>	<p>Pupils should combine and increase numbers, counting forwards and backwards.</p> <p><i>(They should) develop the concept of addition and subtraction and ... use these operations flexibly.</i></p> <p><i>Problems should include the terms: put together, add, altogether, total, take away, distance between, difference between, more than and less than, so that pupils develop the concept of addition and subtraction and are enabled to use these operations flexibly.</i></p> <p><i>(Number-addition and subtraction, Non-statutory guidance.)</i></p> <p>Pupils discuss and solve problems in familiar practical contexts . <i>(Non-statutory guidance.)</i></p> <p>Pupils compare, describe and solve practical (measurement) problems .</p> <p><i>(Measurement)</i></p>

Wandsworth LA Calculation Policy for subtraction Year 2

<p>Calculations</p> <p>Mental</p>	<p>Add and subtract numbers using concrete objects, pictorial representations, and mentally, including:</p> <ul style="list-style-type: none"> a two-digit number and ones a two-digit number and tens two two-digit numbers adding three one-digit numbers <p>Jottings to support informal methods:</p> <div data-bbox="347 371 887 551"> <p>Bridge through 10 where necessary</p> <p>32 - 17</p>  </div> <div data-bbox="935 170 1214 461">  </div> <div data-bbox="1238 349 1398 394"> <p>54 - 32 = 22</p> </div>
<p>Calculations</p> <p>Written</p>	<p>Written recording:</p> <p>37 - 12 = 37 - 10 - 2</p> <p>= 27 - 2</p> <p>= 25</p> <div data-bbox="424 629 927 763">  </div> <div data-bbox="967 461 1485 808"> <p>= signs and missing numbers</p> <p>Continue using a range of equations as in Year 1 but with appropriate numbers.</p> <p>Extend to $14 + 5 = 20 - \square$</p> <p>Find a small difference by counting up</p> <p>$42 - 39 = 3$</p>  </div>
<p>Representations to support mental and written calculations.</p>	<p><u>Informal methods to support written subtraction calculations</u></p> <p>Practical portioning of a 2-digit number</p> <p>In Year 1 leads to:</p> <div data-bbox="256 987 632 1055">  </div> <p>Which line has most money? How much more?</p> <div data-bbox="727 931 951 1043">  </div> <div data-bbox="1046 898 1334 1099">  </div> <p>The difference between 11 and 14 is 3. $14 - 11 = 3$ $11 + \square = 14$</p> <p>Bundles of straws or dienes to represent and partition 2 digit numbers. Subtract (without decomposition) using partitioning and equipment, e.g.</p> <div data-bbox="209 1200 376 1335">  </div> <p>To calculate 35-22, remove 22.</p> <div data-bbox="983 1200 1126 1335">  </div> <p>Then record: 35-22=13.</p> <div data-bbox="217 1346 1430 1447"> <p>Continue to use of a range of concrete and pictorial representations from Year 1—including Bar model to support understanding of difference. (See below.)</p> </div>
<p>Fractions</p>	<p>Pupils should count in fractions up to 10, starting from any number and using the and equivalence on the number line (for example, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2.)</p> <div data-bbox="217 1559 1094 1648"> <p>Use concrete and pictorial models of fractions to assist with counting e.g. paper cups, plates, shapes etc.</p> </div> <div data-bbox="1214 1503 1525 1682">  </div>
<p>Links from other strands</p>	<p>Recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100.</p> <p><i>Pupils should partition numbers in different ways (for example, $23 = 20 + 3$ and $23 = 10 + 13$) to support subtraction.</i></p> <div data-bbox="209 1850 448 2130">  </div> <div data-bbox="488 1872 687 2119"> <p>55 + 45 = 100 45 + 55 = 100 35 + 65 = 100 100 - 55 = 45 100 - 45 = 55 100 - 35 = 65</p> </div> <p>Solve problems with addition and subtraction:</p> <ul style="list-style-type: none"> using concrete objects and pictorial representations, including those involving numbers, quantities and measures applying their increasing knowledge of mental and written methods Pupils extend their understanding of the language of addition and subtraction to include sum and difference.

Wandsworth LA Calculation Policy for subtraction Year 3

Mental Calculations


Add and subtract numbers mentally, including:

- *a three-digit number and ones
- *a three-digit number and tens
- *a three-digit number and hundreds.

Use a number line, dienes, hundred squares, two-hundred squares, and similar representations, to support mental calculations. (See Representations section below.)

101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130
131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190
191	192	193	194	195	196	197	198	199	200

Use known number facts and place value to subtract
Continue as in Year 2 but with appropriate numbers e.g.
 $97 - 15 = 72$



With practice, children will need to record less information and decide whether to count back or forward. It is useful to ask children whether counting up or back is the more efficient for calculations such as $57 - 12$, $86 - 77$ or $43 - 28$.

Pencil and paper procedures

Complementary addition

$$84 - 56 = 28$$



Written Calculations

Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction.


(1) Extended columnar - no exchange

Extended method $87 - 53 =$


$$\begin{array}{r} 80 \text{ and } 7 \\ - 50 \text{ and } 3 \\ \hline 30 \text{ and } 4 = 34 \end{array}$$

(2) Extended columnar - with exchange:


$$\begin{array}{r} 87 - 58 \text{ becomes} \\ 70 + 17 \\ - 50 + 8 \\ \hline 20 + 9 \end{array}$$



Representations to support mental and written calculations.




Partitioning and re-partitioning support the understanding of place-value.




$$\begin{array}{l} 30 + 6 \\ 20 + 16 \\ 10 + 26 \end{array}$$

All of these representations still comprise the amount of 36.

Introduce transition from concrete place value representations, (e.g. dienes or straws), to pictorial – such as place value counters or money.



132 in dienes



132 in place value counters.

Revert to concrete manipulatives and expanded methods whenever difficulties arise

Fractions

Count up and down in tenths.
Add and subtract fractions with the same denominator within one whole.

$$\frac{1}{6} + \frac{1}{6} + \frac{1}{6} = \frac{3}{6} = \frac{1}{2}$$

Adding Fractions

Bar model







Links from other strands

Money and calculating duration of events (with number lines.)

For example: ***"Add and subtract amounts of money to give change, using both £ and p in practical contexts."***

"Compare durations of events [for example to calculate the time taken by particular events or tasks]." (Measurement)

Wandsworth LA Calculation Policy for subtraction Year 4

<p>Calculations</p> <p>Mental</p>	<p>Continue to practise mental methods with increasingly large numbers to aid fluency. (From Non-Statutory Guidance).</p> <p>Methods to support fluent calculation and encourage efficiency of method:</p> <ul style="list-style-type: none"> Find a small difference by counting up. E.g. 5003—4996 Subtract nearest multiple of ten and adjust. Partition larger numbers <p>Whenever possible, children should be encouraged to visualise number lines and other basic, supporting representations to promote fluent work without jottings.</p> <p>This could be done using an empty number line. Children should recall and use number facts to reduce the number of steps.</p> <p>Use known number facts and place value to subtract $92 - 25 = 67$</p> 
<p>Calculations</p> <p>Written</p>	<p>Add and subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate.</p> <p>Build on formal, extended method (See Year 3) using exchange wherever necessary.</p> <p>Continue to use representations and manipulatives to develop understanding of place value.</p> <p>372—147 =</p> $\begin{array}{r} 300 + 70 + 2 \\ -100 + 40 + 7 \\ \hline \end{array} \longrightarrow \begin{array}{r} 300 + 60 + 12 \\ -100 + 40 + 7 \\ \hline 200 + 20 + 5 \end{array} \longrightarrow \begin{array}{r} 300 + \cancel{70} + \overset{60}{1} \overset{1}{2} \\ -100 + 40 + 7 \\ \hline 200 + 20 + 5 \end{array}$ <p>Apply understanding of subtraction with larger integers to that of decimals in context of money and measures. (See Year 5.)</p>
<p>Representations to support mental and written calculations.</p>	<p>Dienes blocks or place value counters can be used to model calculations and the under-lying place value concepts.</p>  <p>This is now "Sixty-two"</p>  <p>Use physical and / or pictorial representations alongside columnar methods. Ask: <i>What is the same? What's different?</i> Compare and discuss the suitability of different methods in context. Pupils decide which operations and methods to use and why.</p> <p>I would count on using a number line to calculate 5003-4896; because the numbers are close together.</p>
<p>Fractions</p>	<p>Count up and down in hundredths.</p> <p>Add and subtract fractions with the same denominator .</p> <p>Solve simple measure and money problems involving fractions and decimals to two decimal places.</p> 
<p>Links from other strands</p>	<p>Identify, represent and estimate numbers using different representations. (Place value)</p> <p>Recognise the place value of each digit in a four-digit number.</p> <p>Estimate and use inverse operations to check answers to a calculation .</p> <p>Solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why.</p> <p>Estimate, compare and calculate different measures, including money in pounds and pence.</p>

Wandsworth LA Calculation Policy for subtraction Year 5

Mental Calculations

- Subtract numbers mentally with increasingly large numbers.
E.g. $12\ 462 - 2300 = 10\ 162$
- Use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy.
- Pupils practise adding and subtracting decimals, including a mix of whole numbers and decimals, decimals with different numbers of decimal places, and complements of 1 (for example, $1 - 0.17 = 0.83$).*
- Pupils mentally add and subtract tenths, and one-digit whole numbers and tenths.*

Basic Mental Strategies for Subtraction

- Find differences by counting up
 - Partitioning
 - Applying known facts
 - Bridging through 10 and multiples of 10
 - Subtracting 9, 11 etc. by compensating
 - Counting on to, or back from the largest number
- National Curriculum 1999*

Which method works best? Why? How else could we do it?

Children use, or visualise, representation of choice. Refer back to physical representations as required.

Written Calculations

Add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction).

(Pupils) practise adding and subtracting decimals.

Begin with three-digit numbers using formal, columnar method; then move into four-digit numbers.

As in Year 4, compare physical and / or pictorial representations and expanded algorithms alongside columnar methods. Ask: *What is the same? What's different?*

Compare and discuss the suitability of different methods, (mental or written), in context.

Revert to expanded methods whenever difficulties arise

$$£17.34 - £12.16$$

$$\begin{array}{r} 1000+700+20+14p \\ - 1000+200+10+6p \\ \hline 500+10+8p \end{array}$$



$$\begin{array}{r} 1734p \\ - 1216p \\ \hline 518p \end{array}$$

$$\begin{array}{r} £\ 2 \\ 17.34 \\ - 12.16 \\ \hline 5.18 \end{array}$$

What is the same about these models? What's different?

Relate place value of decimals with that of whole numbers using representations. See below.

Representations to support mental and written calculations.



Use physical and pictorial representations to stress the place value relationships between money, decimals and whole numbers. A place value mat such as the this one could be used, moving away from the traditional: *Hundreds, tens and ones* model used in Lower KS2 and KS1.











- Fractions**
- Subtract fractions with the same denominator and denominators that are multiples of the same number. *(Include fractions exceeding 1 as a mixed number.)*
 - Solve problems involving number up to three decimal places.
 - They mentally add and subtract tenths, and one-digit whole numbers and tenths.

- Links from other strands**
- Solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign.
 - Use all four operations to solve problems involving time, money and measure using decimal notation; (up to 3d.p.)

Wandsworth LA Calculation Policy for subtraction Year 6

<p>Calculations</p> <p>Mental</p>	<p>Children:</p> <ul style="list-style-type: none"> Perform mental calculations, including with mixed operations and large numbers. Use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy. <i>They undertake mental calculations with increasingly large numbers and more complex calculations.</i> <p>Children draw on basic, Mental subtraction Strategies, (See Year 5.) Children use, or visualise, representation of choice. Refer back to physical representations as required.</p> <div data-bbox="1093 338 1501 562"> <p>Use known number facts and place value to subtract $0.5 - 0.31 = 0.19$</p> </div>												
<p>Calculations</p> <p>Written</p>	<p>Add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction). Solve problems involving the calculation and conversions of units of measure, using decimal notation of up to three decimal places where appropriate. (MEASURES)</p> <p>Move towards consolidation of formal, columnar method. For more complex calculations, with increasingly larger or smaller numbers, compare representations and expanded algorithms alongside columnar methods. Ask: What is the same? What's different? Compare and discuss the suitability of different methods, (mental or written), in context. Revert to expanded methods whenever difficulties arise</p> <div data-bbox="212 891 422 1099"> <p>932 - 457 becomes</p> </div> <div data-bbox="496 904 778 1077"> <p>Consolidate columnar methods, paying particular attention to the occurrence of zeros as place holders.</p> </div> <div data-bbox="903 896 1114 1093"> </div> <div data-bbox="1252 904 1517 1093"> </div>												
<p>Representations to support mental and written calculations.</p>	<p>Use physical/pictorial representations alongside columnar methods where needed. <i>What is the same, what is different?</i></p> <div data-bbox="212 1272 624 1563"> <p>Bus Timetable</p> <table border="1"> <tr><td>Tyneo</td><td>11:18 am</td></tr> <tr><td>Oxhill</td><td>12:05 pm</td></tr> <tr><td>Whitcote</td><td>12:55 pm</td></tr> <tr><td>Fulbrey</td><td>1:46 pm</td></tr> <tr><td>Horsington</td><td>2:34 pm</td></tr> <tr><td>Shipston</td><td>3:26 pm</td></tr> </table> <p>How long is the journey from Oxhill to Shipston?</p> <p>55 mins + 2 hr + 26 mins =</p> </div> <div data-bbox="635 1122 1525 1675"> <p>2035 - 485 = 1552</p> </div>	Tyneo	11:18 am	Oxhill	12:05 pm	Whitcote	12:55 pm	Fulbrey	1:46 pm	Horsington	2:34 pm	Shipston	3:26 pm
Tyneo	11:18 am												
Oxhill	12:05 pm												
Whitcote	12:55 pm												
Fulbrey	1:46 pm												
Horsington	2:34 pm												
Shipston	3:26 pm												
<p>Fractions</p>	<p>Add and subtract fractions with different denominators and mixed numbers. <i>They practise calculations with simple fractions and decimal fraction equivalents to aid fluency.</i></p>												
<p>Links from other strands</p>	<p>Use their knowledge of the order of operations to carry out calculations involving the four operations (BIDMAS) Solve problems involving all four operations Algebra: use symbols and letters to represent variable and unknowns e.g. $a + b = b + a$ Using the number line, pupils use, add and subtract positive and negative integers for measures such as temperature.</p>												

Wandsworth LA Calculation Policy for multiplication: Year 1

Mental Calculations	<ul style="list-style-type: none"> • solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher. • Count in multiples of twos, fives and tens with equipment, songs & rhythms, and including by rote <ul style="list-style-type: none"> • Counting 2s e.g. counting socks, shoes, animal legs... • Counting in 5s e.g. counting fingers, fingers in gloves, toes ... • Counting in 10s e.g. counting fingers, toes ... • Doubles up to 10
Written Calculations	<ul style="list-style-type: none"> • Recognising odd and even numbers • Write as a number pattern (e.g. 5, 10, 15...; 2, 4, 6...; 10, 20, 30...) <div data-bbox="212 528 659 775" style="border: 1px solid orange; padding: 5px; margin: 10px;"> <p>It is important to use a range of models to develop understanding of multiplication, and that children make connections between arrays, number patterns, and counting in twos, fives and tens</p> </div> <div data-bbox="746 528 1297 775" style="border: 1px solid orange; padding: 5px; margin: 10px;"> <p>Although there is no statutory requirement for written multiplication in Year 1, it may be helpful to encourage children to begin to write it as a repeated addition sentence in preparation for Year 2 E.g. $2 + 2 + 2 + 2 = 8$</p> </div> <div data-bbox="1166 286 1513 589"> <div style="background-color: orange; border-radius: 50%; padding: 10px; display: inline-block; margin-bottom: 10px;">What's the sequence?</div> <div style="background-color: blue; border-radius: 50%; padding: 10px; display: inline-block;">What comes next?</div> </div>
Representations to support mental and written calculations.	<p>Use a range of concrete and pictorial representations, including:</p> <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  <p>There are 3 sweets in one bag. How many sweets are there in 5 bags?</p> </div> <div style="width: 50%;">  <p>4 groups of 3 3 groups of 4</p> </div> <div style="width: 50%;">  <p>2 groups of 5 (5 x 2) using Numicon</p> </div> <div style="width: 50%;">  <p>Lots of the 'same thing' Bead Bar Number Line Fingers</p> </div> <div style="width: 50%;">  <p>4 groups of 2p 2p multiplied by 4 $2p \times 4 = 8p$</p> </div> <div style="width: 50%;">  <p>"2 strawberries 3 times" $2 \times 3 = 6$ $2 + 2 + 2 = 6$</p> </div> <div style="width: 50%;">  <p>$4 \times 3 = 12$ "4 cakes, 3 times" 4 multiplied by 3</p> </div> <div style="width: 50%;">  <p>Double 4 in hoops</p> </div> <div style="width: 50%;">  <p>$3 + 3 + 3 + 3 = 12$ 3 multiplied by 4 is 12 $3 \times 4 = 12$</p> </div> <div style="width: 50%;">  <p>5 10 15</p> </div> </div>
Links from other strands	<ul style="list-style-type: none"> • Count in multiples of twos, fives and tens (from Number and place value), as above • <i>Counting in twos, five and tens from different multiples to develop their recognition of patterns in the number system</i> • <i>They discuss and solve problems in familiar practical contexts, including using quantities.</i>

Wandsworth LA Calculation Policy for multiplication: Year 2

Mental Calculations	<ul style="list-style-type: none"> Recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, <i>connecting the 2, 5 and 10 multiplication tables to each other</i> Connect the 10 multiplication table to place value Recognise odd and even numbers show that multiplication of two numbers can be done in any order (commutative) Use a variety of language to describe multiplication and division Apply doubling of numbers up to ten to doubling larger numbers <div data-bbox="1117 280 1500 526"> <p>I know that the multiples of 2/5/10 are always/never</p> </div>
Written Calculations	<ul style="list-style-type: none"> calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (\times), division (\div) and equals (=) signs Begin to use other multiplication tables and recall facts to perform written calculations Use a range of materials and contexts ... including arrays and repeated addition <div data-bbox="1372 649 1508 806"> $7 \times 2 = \square$ $7 \times \square = 14$ $\square \times 2 = 14$ $\triangle \times \square = 14$ </div>
Representations to support mental and written calculations.	<p>Use a range of concrete and pictorial representations, including:</p> <div data-bbox="223 884 422 1019"> <p>Counting 5 minute intervals</p> </div> <div data-bbox="446 884 566 1019"> <p>$5 \times 4 = 20$</p> </div> <div data-bbox="734 918 877 1041"> <p>I want five, four times</p> </div> <div data-bbox="973 896 1284 1019"> <p>Groups of 10, six times $10 \times 6 = 60$</p> </div> <div data-bbox="1284 840 1516 1041"> <p>5 10 15 Counting tally marks to support counting in 5s.</p> </div> <div data-bbox="239 1052 367 1254"> <p>$10 \times 3 = 30$</p> </div> <div data-bbox="430 1041 678 1108"> </div> <div data-bbox="375 1097 734 1299"> <p>What arrays can you make with 20 counters?</p> </div> <div data-bbox="798 1108 901 1265"> <p>$4 \times 5 = 20$</p> </div> <div data-bbox="933 1198 1109 1310"> <p>I want four, five times</p> </div> <div data-bbox="981 1041 1308 1187"> <p>3 multiplied by 5 $\rightarrow 3 \times 5$ $3 + 3 + 3 + 3 + 3 =$</p> </div> <div data-bbox="1276 1064 1524 1220"> <p>3 multiplied by 4</p> </div> <div data-bbox="1125 1198 1516 1422"> <p>"I want three, four times"</p> <p>$3 + 3 + 3 + 3 = 12$ $3 \times 4 = 12$</p> </div> <div data-bbox="199 1276 422 1523"> </div> <div data-bbox="406 1310 965 1512"> <p>What do you notice about the numbers covered up? Is there a pattern? What number is next?</p> </div> <div data-bbox="630 1512 1069 1624"> <p>$10 + 10 = 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2$ $5 + 5 + 5 + 5 = 4 + 4 + 4 + 4$</p> </div> <div data-bbox="231 1534 414 1646"> </div> <div data-bbox="1141 1433 1492 1635"> <p>doubling</p> </div>
Fractions	<ul style="list-style-type: none"> write simple fractions for example, $\frac{1}{2}$ of $6 = 3$ and recognise the equivalence of $\frac{2}{4}$ and $\frac{1}{2}$ Begin to relate multiplication and division models to fractions and measures
Links from other strands	<ul style="list-style-type: none"> solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts. Use commutativity and inverse relations to develop multiplicative reasoning (e.g. $4 \times 5 = 20$ and $20 \div 5 = 4$) Statistics—interpret and construct simple pictograms, tally charts and block diagrams Measurement—counting 5 minute intervals on a clock face Place value count in steps of 2, 3 and 5 from 0 and in tens from any number, forwards and backwards

Wandsworth LA Calculation Policy for multiplication: Year 3

Mental Calculations

- recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables (and 2, 5 and 10 multiplication tables from Y2)
- Use doubling to connect 2, 4 and 8 multiplication tables
- Develop efficient mental methods using commutativity and associativity
- Derive related multiplication and division facts
- calculate mathematical statements for multiplication using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental methods
- Partitioning: multiply the tens first and then multiply the units, e.g. $57 \times 6 = (50 \times 6) + (7 \times 6) = 300 + 42 = 342$
- Children can apply these skills to solve spoken word problems too,
- Include missing number statements e.g. $72 \div \square = 8$

The associative law:
 $4 \times 12 \times 5 = 4 \times 5 \times 12$
 $= 20 \times 12$
 $= 240$

The commutative law:
 $4 \times 12 = 12 \times 4$

Ensure opportunities to learn multiplication tables through use of visual models, images and also rote learning.

Multiplication and division facts:
 $8 \times 4 = 32, 4 \times 8 = 32, 32 \div 4 = 8, 32 \div 8 = 4$

Deriving related facts:
 $3 \times 2 = 60, 6 \div 3 = 2, 6 \div 2 = 3$
 $\rightarrow 30 \times 2 = 60, 60 \div 3 = 20, 20 = 60 \div 3$

I have 8 packets, each containing 12 crayons. How many crayons do I have in total?

Written Calculations

- write and calculate mathematical statements for multiplication using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, progressing to formal written methods
- Estimate before calculating
- Ensure written methods build on/relate to mental methods

Towards the column method ...

x	20	4
6	120	24

$120 + 24 = 144$

24×6 becomes

24	
x 6	
144	

Answer: 144

Representations to support mental and written calculations.

5 x 3

3 x 5

3 groups of 40

10p 9p

13p x 3

$= 10p \times 3 + 3p \times 3$

$= 30p + 9p$

$= 39p$

2 digit x 1 digit number:
 e.g. $7 \times 38 = 266$

x	30	8
7	210	56

$210 + 56 = 266$

Use arrays for partitioning too

$19 \times 3 = 57$

$30 + 27 = 57$

I can see eight groups of seven!

I can see seven, eight times!

And seven groups of eight!

I'm 3 times as tall as you. I'm 3 metres tall.


I'm only 1 metre tall.

Three times as many

Fractions

- recognise and show, using diagrams, equivalent fractions with small denominators

1	2	3	4	5	6	7	8	9	10
2	4	6	8	10	12	14	16	18	20
3	6	9	12	15	18	21	24	27	30
4	8	12	16	20	24	28	32	36	40
5	10	15	20	25	30	35	40	45	50



Links from other strands

- solve problems, including missing number problems, involving multiplication, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects.
- The comparison of measures includes simple scaling by integers (for example, a given quantity or measure is twice as long or five times as high)
- Pupils now use multiples of 2, 3, 4, 5, 8, 10, 50 and 100.
- Pupils understand and use simple scales (for example, 2, 5, 10 units per cm) in pictograms and bar charts with increasing accuracy.

Wandsworth LA Calculation Policy for multiplication: Year 4

Informal methods to support mental Calculations	<ul style="list-style-type: none"> recall multiplication and division facts for multiplication tables up to 12×12 use place value, known and derived facts to multiply and divide mentally, including: <ul style="list-style-type: none"> multiplying by 0 and 1; dividing by 1; multiplying together three numbers recognise and use factor pairs and commutativity in mental calculations practise mental methods and extend this to three-digit numbers to derive facts, (for example $600 \div 3 = 200$ can be derived from $2 \times 3 = 6$) <div data-bbox="1209 241 1519 398"> <p>Using the distributive law: $39 \times 7 = 30 \times 7 + 9 \times 7$ Using the associative law: $(2 \times 3) \times 4 = 2 \times (3 \times 4)$</p> </div> <div data-bbox="1267 416 1519 495"> <p>Using facts and rules: $2 \times 6 \times 5 = 10 \times 6 = 60$</p> </div>
Written Calculations	<ul style="list-style-type: none"> multiply two-digit and three-digit numbers by a one-digit number using formal written layout Estimate before calculating Ensure written methods build on/relate to mental methods (e.g. grid method) Introduce alongside grid and expanded column methods <div data-bbox="341 757 874 891"> </div> <div data-bbox="1098 524 1528 869"> <p>Key skills to support:</p> <ul style="list-style-type: none"> know or quickly recall multiplication facts up to 12×12 understand the effect of multiplying numbers by 10, 100 or 1000 multiply multiples of 10, for example, 20×40; approximate, e.g. recognise that 72×38 is approximately $70 \times 40 = 2800$ and use this information to check whether their answer appears sensible </div> <div data-bbox="220 898 1544 965" style="background-color: orange; text-align: center;"> <p>Revert to expanded methods if children find formal calculation method difficult</p> </div>
Representations to support mental and written calculations.	<p>Ensure children can confidently multiply & divide by 10 and 100, that multiplying by 10 makes the number bigger and all digits move one place to the left, while dividing by 10 makes the number smaller and all the digits move one place to the right.</p> <div data-bbox="667 1016 954 1234"> <p>Moving digits ITP</p> </div> <div data-bbox="932 1003 1043 1070"> <p>This digit is worth 200</p> </div> <div data-bbox="1091 1003 1187 1182"> <p>245 X 6 1470</p> </div> <div data-bbox="1267 1025 1394 1093"> <p>This digit is worth 30</p> </div> <div data-bbox="1193 1137 1442 1384"> <p>I can use place value counters to model the grid method</p> </div> <div data-bbox="245 1272 564 1464"> <p>Use arrays made with place value counters to demonstrate the link between multiplication and division. This will support understanding of the grid method.</p> </div> <div data-bbox="587 1263 772 1487"> </div> <div data-bbox="804 1240 1139 1487"> <p>Children need to understand and apply the language of multiples and factors and use it in solving multiplication and division problems, for example, 'All factors of 36 are multiples of 2, true or false? Find me two factors of 48 that are also multiples of 3.'</p> </div> <div data-bbox="1171 1375 1426 1525"> </div>
Fractions	<ul style="list-style-type: none"> recognise and show, using diagrams, families of common equivalent fractions understand the relation between non-unit fractions and multiplication and division of quantities, with particular emphasis on tenths and hundredths. make connections between fractions of a length, of a shape and as a representation of one whole or set of quantities. use factors and multiples to recognise equivalent fractions and simplify where appropriate <div data-bbox="932 1675 1257 1765"> <p>$\frac{4}{10} \quad \frac{6}{15} \quad \frac{8}{20} \quad \frac{10}{25} \quad \frac{12}{30} \quad \frac{14}{35} \quad \frac{16}{40}$</p> </div> <div data-bbox="1273 1675 1410 1765"> <p>$\frac{2}{5} = \frac{16}{40}$</p> </div> <div data-bbox="1410 1608 1538 1809"> </div>
Links from other strands	<ul style="list-style-type: none"> solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects. Convert between different units of measure (e.g. km to m) - use multiplication to convert from larger to smaller units Understand the relation between non-unit fractions and multiplication/division of quantities. With particular emphasis on tenths and hundredths relate area to arrays and multiplication. Problem solving work can involve finding all possibilities and combinations drawing on knowledge of multiplication tables facts Pupils understand and use a greater range of scales in their representations (Statistics)


Wandsworth LA Calculation Policy for multiplication: Year 5

Informal methods to support mental Calculations

- multiply and divide numbers mentally drawing upon known facts
- multiply and divide whole numbers and those involving decimals by 10, 100 & 1000
- Recognise and use square & cube numbers (& notation)

$$24 \times 15 = ?$$

Pupils should be taught throughout that percentages, decimals and fractions are different ways of expressing proportions.



I did: $24 \times 5 = 120$ (half of 24×10), then multiplied 120 by 3 to get 360

I did: $(24 \times 10) + (24 \times 5)$.

Example of constructing equivalence statements:
 $4 \times 35 = 2 \times 2 \times 35$;
 $3 \times 270 = 3 \times 3 \times 9 \times 10$
 $= 92 \times 10$

Written Calculations

- multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers

$$\begin{array}{r} 24 \\ \times 16 \\ \hline 144 \\ 160 \\ \hline 384 \end{array}$$

$$\begin{array}{r} 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \end{array}$$

$$\begin{array}{r} 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \end{array}$$


$$\begin{array}{r} 2741 \\ \times 6 \\ \hline 16446 \end{array}$$

Compact methods for multiplication are efficient but often do not make the value of each digit explicit. When introducing multiplication of decimals, it is sensible to take children back to an expanded form such as the grid method where the value of each digit is clear, to ensure that children understand the process.

Does your answer seem reasonable?

Revert to expanded methods if children find formal calculation method difficult (see Y3/Y4)

Representations to support mental and written calculations.



What is the same and what is different about these two methods?

To start multiplying using the **least significant digit** for the grid method will support children with implementation of the written procedure




Build on children's understanding: demonstrate multiplication of a decimal number alongside its whole number equivalent

$\begin{array}{r} 326 \\ \times 8 \\ \hline 2400 \\ 160 \\ 48 \\ \hline 2608 \end{array}$	$\begin{array}{r} 3.26 \\ \times 8 \\ \hline 24.00 \\ 1.60 \\ 0.48 \\ \hline 26.08 \end{array}$
---	---

Fractions

- multiply proper fractions and mixed numbers by whole numbers, supported by materials and diagrams
- identify, name and write equivalent fractions of a given fraction, represented visually, including tenths and hundredths

Pupils connect multiplication by a fraction to using fractions as operators (fractions of), and to division, building on work from previous years. This relates to scaling by simple fractions, including fractions > 1 .



Links from other strands

- identify multiples & factors, including finding all factor pairs of a number, & common factors of two numbers
- know and use the vocabulary of prime numbers, prime factors and composite (non-prime) numbers
- establish whether a number up to 100 is prime and recall prime numbers up to 19
- solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes, and including understanding the meaning of the equals sign
- solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates
- use all four operations to solve problems involving measure [for example, length, mass, volume, money] using decimal notation, including scaling.
- convert between different units of metric measure; problems including money,.

Other links: ratio,

Pupils use their knowledge of place value and multiplication and division to convert between standard units.

Pupils calculate the perimeter of rectangles and related composite shapes, including using the relations of perimeter or area to find unknown lengths. Missing measures questions such as these can be expressed algebraically, for example $4 + 2b = 20$ for a rectangle of sides 2 cm and b cm and perimeter of 20cm.

Pupils calculate the area from scale drawings using given measurements.


Wandsworth LA Calculation Policy for multiplication: Year 6

Informal methods to support mental Calculations	<ul style="list-style-type: none">perform mental calculations, including with mixed operations and large numbers (<i>increasingly large numbers & more complex calculations</i>)use all the multiplication tables to calculate mathematical statements in order to maintain fluency.use estimation to check answers to calculations & determine, in the context of a problem, an appropriate degree of accuracy.identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places. <div>Children should know the square numbers up to 12×12 & derive the corresponding squares of multiples of 10 e.g. $80 \times 80 = 6400$</div> <div>Use mental strategies to solve problems e.g.<ul style="list-style-type: none">x4 by doubling and doubling againx5 by x10 and halvingx20 by x10 and doublingx9 by multiplying by 10 and adjustingx6 by multiplying by 3 and doubling</div> <div>How many different \times/\div facts can you make using 72? 7.2? 0.72?</div> <div>What is the best approximation for 4.4×18.6?</div>														
Written Calculations	<ul style="list-style-type: none">multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication (<i>short & long multiplication</i>)multiply one-digit numbers with up to two decimal places by whole numbers <div><table><tr><td>£</td><td>6.23</td></tr><tr><td>x</td><td>27</td></tr><tr><td colspan="2"><hr/></td></tr><tr><td></td><td>43.61</td></tr><tr><td></td><td>124.60</td></tr><tr><td>£</td><td>168.21</td></tr></table></div> <div>Revert to expanded methods if children find formal calculation method difficult (see Y4/Y5)</div>	£	6.23	x	27	<hr/>			43.61		124.60	£	168.21		
£	6.23														
x	27														
<hr/>															
	43.61														
	124.60														
£	168.21														
Representations to support mental and written calculations.	<div>Look at long-multiplication calculations containing errors, identify the errors and determine how they should be corrected</div> <div><table><tr><td>x</td><td>8</td><td>0.4</td><td>0.06</td><td></td></tr><tr><td>11</td><td>88</td><td>4.4</td><td>0.66</td><td>= 93.06</td></tr></table><div><table><tr><td>8.46</td></tr><tr><td>x 11</td></tr><tr><td><hr/></td></tr><tr><td>93.06</td></tr></table></div></div> <div><div>a $\times 3$ b $+ 7$ 14.5</div><div>What's the same? What's different?</div></div>	x	8	0.4	0.06		11	88	4.4	0.66	= 93.06	8.46	x 11	<hr/>	93.06
x	8	0.4	0.06												
11	88	4.4	0.66	= 93.06											
8.46															
x 11															
<hr/>															
93.06															
Fractions	<ul style="list-style-type: none">multiply simple pairs of proper fractions, writing the answer in its simplest form e.g. $\frac{1}{4} \times \frac{1}{2} = \frac{1}{8}$ <div>Three key applications of understanding:<ul style="list-style-type: none">Recognise that $\frac{1}{4}$ of 12, $\frac{1}{4} \times 12$ and 12 divided by 4 are equivalentUse cancellation to simplify the product of a fraction and an integer e.g. $\frac{1}{2} \times 15 = 3$, $\frac{3}{2} \times 15 = 2 \times \frac{1}{2} \times 15 = 2 \times 3 = 6$Work out how many $\frac{1}{5}$s in 15, how many $\frac{3}{5}$s in 15, how many $\frac{2}{5}$s in 1 etc.</div> <div><table><tr><td>$\frac{1}{2}$</td><td>$\frac{1}{4}$</td></tr></table><p>To calculate $\frac{1}{2} \times \frac{1}{2}$, find $\frac{1}{2}$ of a rectangle/array, then divide that $\frac{1}{2}$ into $\frac{1}{2}$s. So $\frac{1}{2}$ of $\frac{1}{2}$ is $\frac{1}{8}$</p></div> <div>Pupils should use a variety of images to support their understanding of multiplication with fractions. This follows earlier work about fractions as operators (fractions of), as numbers, and as equal parts of objects, e.g. as parts of a rectangle.</div>	$\frac{1}{2}$	$\frac{1}{4}$												
$\frac{1}{2}$	$\frac{1}{4}$														
Links from other strands	<ul style="list-style-type: none">identify common factors, common multiples and prime numbersuse their knowledge of the order of operations to carry out calculations involving the four operationssolve problems involving addition, subtraction, multiplication and divisionexplore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$.Fractions, decimals and percentages including equivalences in different contexts.solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division factssolve problems involving the calculation of percentages [for example, of measures, and such as 15% of 360] and the use of percentages for comparisonsolve problems involving similar shapes where the scale factor is known or can be foundsolve problems involving unequal sharing and grouping using knowledge of fractions and multiples.Algebra including formulae, linear number sequences, combinations of variablesMeasurement including solving problems with conversion of units, decimal notation, area & volumeStatistics including pie charts, line charts and calculating the mean														

Wandsworth LA Calculation Policy for division: Year 1


Mental Calculations

Solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.
(Pupils) make connections between arrays, number patterns, and counting in twos, fives and tens.




Count on or back in 2s, 5s and 10s and look for patterns.

Songs are useful for counting in steps.





Written Calculations

Pictorial jottings to support the calculation of $8 \div 4$



Children should experiment with the concepts of sharing and grouping in a number of contexts. Initially they use their own recording—moving towards fluent, symbolic notation in Year 2. Conceptual understanding and recording should be continuously supported by the use of **arrays** as a default model, as well as other representations, (see below.)



The relationship between multiplication and division must be continually considered.

Representations to support mental and written calculations.


Use a range of concrete and pictorial representations, including:

- Manipulatives to support children's own recording; and understanding of *sharing* and the link with multiplication.

"How can we share 6 cakes between 2 people?"



Here, the cakes are placed in an array formation.



How many 2 tiles can we fit on the 6 tile?




Moving from concrete to pictorial, counters represent the cakes to reinforce the relationship between multiplication and division.

- Manipulatives, and real-life objects to support children's own recording; and understanding of *grouping* and the link with multiplication.




Coat hangers and socks support calculation of $8 \div 2$

Bead strings



$15 \div 2$ using grouping model

"Double 3 is 6. Half of 6 is 3."



- Dominoes and dice to reinforce concepts of doubling and halving.

Fractions













Recognise, find and name a half as one of two equal parts of an object, shape or quantity
Recognise, find and name a quarter as one of four equal parts of an object, shape or quantity. (See Representations above.)

Links from other strands

They practise counting as reciting numbers and counting as enumerating objects, and counting in twos, fives and tens from different multiples to develop their recognition of patterns in the number system (for example, odd and even numbers). (PLACE VALUE).
Pupils are taught half and quarter as 'fractions of' by solving problems using shapes, objects and quantities. (FRACTIONS)

Wandsworth LA Calculation Policy for division: Year 2

Division and multiplication concepts must be linked continuously.

Calculations	<p>Mental</p> <p>The relationship between multiplication and division must be continually considered.</p> <ul style="list-style-type: none"> Recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers . Calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (\times), division (\div) and equals (=) signs . 
Calculations	<p>Written</p> <p>"5, one time", "5, two times" and so on.</p>  <ul style="list-style-type: none"> Show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot Solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts. (See below.)    <p>$\frac{1}{2}$ of 26 = 13 $26 \div 2 = 13$</p> <p>Pupils decode a problem first, represent it using manipulatives and jottings; and finally record it symbolically.</p>
Representations to support mental and written calculations.	<p>Use a range of concrete and pictorial representations, including:</p> <ul style="list-style-type: none"> Arrays  $7 \times 2 = 14$ $14 \div 2 = 7$  $2 \times 7 = 14$ $14 \div 7 = 2$ <p>Is 14 an odd number? How do you know?</p> Number lines to support grouping  $10p + 10p + 10p + 10p + 10p = 50p$ $10p \times 5 = 50p$ 5 hops of 10  <p>Grouping ITP</p>  <p>"How many groups of 5 minutes have passed when the minute hand reaches twenty past?"</p> Representations to support multiplicative reasoning:  <p>Using Dienes: "If $40 \div 10 = 4$ and $30 \div 10 = 3$, what do you think $70 \div 10$ would be? Why?"</p> 
Fractions	<p>Recognise, find, name and write fractions $\frac{1}{2}$, $\frac{1}{4}$, $\frac{3}{4}$, $\frac{2}{4}$ of a length, shape, set of objects or quantity</p> <p>Write simple fractions for example, $\frac{1}{2}$ of 6 = 3 and recognise the equivalence of $\frac{1}{2}$ and $\frac{2}{4}$.</p>
Links from other strands	<ul style="list-style-type: none"> Count in steps of 2, 3, and 5 from 0, and in tens from any number, forward and backward. Recognise the place value of each digit in a two-digit number (tens, ones) (PLACE VALUE). Tell and write the time to five minutes, including quarter past/to the hour and draw the hands on a clock face to show these times, (MEASURES).

Wandsworth LA Calculation Policy for division: Year 3

Mental Calculations

Pupils should be taught to recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables.

Pupils continue to practise their mental recall of multiplication tables... in order to improve fluency.


Pupils develop efficient mental methods, for example, using commutativity and associativity (e.g., $4 \times 12 \times 5 = 4 \times 5 \times 12 = 20 \times 12 = 240$) and multiplication and division facts to derive related facts.

$$36 \div 3 = 12$$

$$30 \quad 6$$

$$30 \div 3 = 10 \quad 6 \div 3 = 2$$

$$+ \quad +$$



" 4×3 is 12, so $12 \div 3 = 4$."


Written Calculations

Pupils should be taught to:

- write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods.
- solve problems, including missing number problems, involving multiplication and division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects, (see [Links from other strands](#), below.)

"I know $6 \div 3 = 2$, so $60 \div 3 = 20$."
"I know $12 \div 3 = 4$, so $120 \div 3 = 40$."


$$120 \div 3$$





New written methods can be modelled alongside mental or informal methods to ensure understanding.

Representations to support mental and written calculations.

Use a range of concrete and pictorial resources, including:




$63 \div 3$ equals three groups of 2 tens and a one.




How could I calculate $72 \div 3$?

Informal exploration with manipulatives supports the progression to formal written methods—which is continued in Year 4.




Fractions


- Recognise that tenths arise from dividing an object into 10 equal parts and in dividing one-digit numbers or quantities by 10.
- Recognise and show, using diagrams, equivalent fractions with small denominators.
- Recognise, find and write fractions of a discrete set of objects: unit fractions and non-unit fractions with small denominators.





Links from other strands



Pupils solve simple problems in contexts, including measuring and scaling contexts, (e.g., four times as high etc.) and correspondence problems.



Wandsworth LA Calculation Policy for division: Year 4

<p>Informal methods to support mental Calculations</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> recall multiplication and division facts for multiplication tables up to 12×12 use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers recognise and use factor pairs and commutativity in mental calculations <p>Using known facts and blank arrays to calculate $176 \div 8$.</p>  <p><i>Pupils practise mental methods and extend this to three-digit numbers to derive facts.</i></p> <p>I know that $6 \div 3 = 2$, so $600 \div 3 = 200$.</p>
<p>Written Calculations</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> multiply two-digit and three-digit numbers by a one-digit number using formal written layout solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects. <p><i>Pupils practise to become fluent in the formal written method of short multiplication and short division with exact answers .</i></p> <p>Revert to expanded methods if children find formal calculation method difficult</p>
<p>Representations to support mental and written calculations.</p>	<p>$693 \div 3$</p> <p>Children can work in pairs: child A constructs the array (dividing manipulatives into 3 rows), child B checks it and records this in a formal, short division format.</p> <p>$200 \div 6 = 33 \text{ r.} 2$</p> <p>By working through larger number calculations with manipulatives, children gain experience of exchange (re-partitioning) within division algorithms.</p> <p>By the end of Year 4, children need to have encountered remainders in a number of contexts. Pupils can be introduced to remainders using known facts: e.g. $13 \div 4$; and then progress to larger numbers. (See below).</p> <p>Money can be used instead of place value counters.</p>
<p>Fractions</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> recognise and show, using diagrams, families of common equivalent fractions recognise that hundredths arise when dividing an object by one hundred and dividing tenths by ten. solve problems involving increasingly harder fractions to calculate quantities, and fractions to divide quantities, including non-unit fractions where the answer is a whole number find the effect of dividing a one- or two-digit number by 10 and 100, identifying the value of the digits in the answer as ones, tenths and hundredths 
<p>Links from other strands</p>	<ul style="list-style-type: none"> Convert between different units of measure [for example, kilometre to metre; hour to minute] Estimate, compare and calculate different measures, including money in pounds and pence (MEASURES) Recognise that hundredths arise when dividing an object by one hundred and dividing tenths by ten. (FRACTIONS)



Wandsworth LA Calculation Policy for division: Year 5

Informal methods to support mental Calculations

Pupils should be taught to:

- multiply and divide whole numbers and those involving decimals by 10, 100 and 1000
- multiply and divide numbers mentally drawing upon known facts

identify multiples and factors, including finding all factor pairs of a number, and common factors of two numbers .



Factorising
 $480 \div 15$
 $= 480 \div 5 \div 3$

"I know that the answer to $138 \div 6$ will be close to 20, because $2 \times 6 = 12$, so $20 \times 6 = 120$."

Pupils apply all the multiplication tables and related division facts frequently and use them confidently .

Written Calculations

Pupils practise and extend their use of the formal written methods of short multiplication and short division.

- Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context.

$98 \div 7$ becomes

$$\begin{array}{r} 14 \\ 7 \overline{) 98} \\ \underline{7} \\ 28 \\ \underline{28} \\ 0 \end{array}$$

Answer: 14

$432 \div 5$ becomes

$$\begin{array}{r} 86 \text{ r } 2 \\ 5 \overline{) 432} \\ \underline{40} \\ 32 \\ \underline{30} \\ 2 \end{array}$$

Answer: 86 remainder 2

$496 \div 11$ becomes

$$\begin{array}{r} 45 \text{ r } 1 \\ 11 \overline{) 496} \\ \underline{44} \\ 56 \\ \underline{55} \\ 1 \end{array}$$

Answer: $45 \frac{1}{11}$



- Pupils interpret non-integer answers to division by expressing results in different ways according to the context, including with remainders, as fractions, as decimals or by rounding. (See Representations below.)

Revert to expanded methods if children find formal calculation method difficult

Representations to support mental and written calculations.




Can we divide this 100 token into 6 equal groups?, then we must exchange it for ten 10 tokens. Can we divide into 6 groups now?

Short division with exchange.



Practical experience with manipulatives is vital for children to talk through the language of division e.g. *exchange, remainder*; and to embed conceptual understanding.

Understanding remainders.



2 out of a whole group of 4 = $\frac{2}{4} = \frac{1}{2} = 0.5$

$$98 \div 4 = \frac{98}{4} = 24 \text{ r } 2 = 24 \frac{1}{2} = 24.5$$

What is the same? What's different about the ways that these remainders are expressed?

Fractions

- Recognise mixed numbers and improper fractions and convert from one form to the other and write mathematical statements > 1 as a mixed number .
- Pupils connect equivalent fractions > 1 that simplify to integers with division and other fractions > 1 to division with remainders.
- Pupils connect multiplication by a fraction to using fractions as operators (fractions of), and to division.
- Pupils should make connections between percentages, fractions and decimals

Links from other strands

- Pupils use all four operations in problems involving time and money, including conversions.using decimal notation, including scaling.
- calculate and compare the area of rectangles (including squares). (MEASURES)

- establish whether a number up to 100 is prime and recall prime numbers up to 19
- recognise and use square numbers and cube numbers, and the notation for squared (2) and cubed (3)
- solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes and including scaling by simple fractions and problems involving simple rates.
- solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign. (NUMBER—MULTIPLICATION AND DIVISION)

Wandsworth LA Calculation Policy for division: Year 6

<p>Informal methods to support mental Calculations</p>	<p>Pupils should be taught to:</p> <ul style="list-style-type: none"> perform mental calculations, including with mixed operations and large numbers. use their knowledge of the order of operations to carry out calculations involving the four operations. identify common factors, common multiples and prime numbers. <p><i>I know that 366 will divide by 6 because it has 2 and 3 as factors</i></p> <ul style="list-style-type: none"> Solve problems involving addition, subtraction, multiplication and division use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy. <div> <p>Spider diagrams</p> </div> <div> </div>
<p>Written Calculations</p>	<ul style="list-style-type: none"> divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context. <i>Pupils practise division for larger numbers, using the formal written methods of short and long division.</i> <div> <p>Long division</p> </div>
<p>Representations to support mental and written calculations.</p>	<p>Revert to expanded methods if children find formal calculation method difficult</p> <div> </div> <p>$£1362.72 \div 40 = ?$</p> <p>$£1362.72 \div 4 = £340.68$ [½ and ½ again.] $£340.68 \div 10 = £34.068$ <i>which rounds to £34.07.</i></p> <div> <p>To introduce the long division model, use a calculation which can be represented both with manipulatives and by a short division algorithm. Use questioning and discussion to compare written methods.</p> </div>
<p>Fractions</p>	<ul style="list-style-type: none"> use common factors to simplify fractions, compare and order fractions, including fractions > 1 add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions divide proper fractions by whole numbers [for example, $\frac{1}{3} \div 2 = \frac{1}{6}$.] associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375.] <p><i>Pupils use their understanding of the relationship between unit fractions and division to work backwards. use written division methods in cases where the answer has up to 2 dp.</i></p> <div> </div> <div> <p>2/5 of a number is 20. What is the number?</p> </div>
<p>Links from other strands</p>	<ul style="list-style-type: none"> <i>Pupils are introduced to the division of decimal numbers by one-digit whole number, initially, in practical contexts involving measures and money. They recognise division as the inverse of multiplication.</i> <i>Pupils also develop their skills of rounding and estimating. This includes rounding answers to a specified degree of accuracy and checking the reasonableness of their answers. (FRACTIONS)</i> <i>solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate.</i> <i>use, read, write and convert between standard units....using decimal notation to up to 3d.p. (MEASURES)</i> <i>interpret and construct pie charts and line graphs and use these to solve problems</i> <i>calculate and interpret the mean as an average. (STATISTICS)</i> <i>solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts (RATIO AND PROPORTION)</i> <p><i>“8 is the best estimate for $72.34 \div 8.91$; because the numbers in the algorithm can be rounded to $72 \div 9$.”</i></p>

Calculation Policy References

As much as possible, the supporting images used throughout this document have been created by the Wandsworth Curriculum Development Group. Where this has not been

Addition	<ul style="list-style-type: none"> Number track www.sparklebox.co.uk (Year 1) Straw bundles image www.idoradesign.blogspot.com (Years 1 and 2) Addition with place value counters http://mathsframe.co.uk/en/resources/resource/241/Expanded Addition using Place Value Counters (Year 5)
Subtraction	<ul style="list-style-type: none"> Interactive hundred square http://www.crickweb.co.uk/ks1numeracy.html (Year 2, subtraction) http://langfordmath.com/ECEMath/BasicFacts/CuisenaireAddSubText.html: http://mathsframe.co.uk/en/resources/resource/242/Column Subtraction using Place Value Counters (Year 5) http://mathsframe.co.uk/en/resources/resource/24/timetable (Year 5, Links with other strands)
Multiplication	<ul style="list-style-type: none"> Mumsnet.com Socks image www.boden.co.uk (Year 1) ITP Multiplication array http://www.teachfind.com/national-strategies/mathematics-its-multiplication-array (Year 3) Moving digits ITP http://www.taw.org.uk/lic/itp/mov_digits.html (Years 4 and 5) Function machine ITP http://mathsframe.co.uk/en/resources/resource/70/itp_function_machine (Year 6)
Division	<ul style="list-style-type: none"> Socks image http://www.comparestoreprices.co.uk/dolls/zapf-creation-baby-annabell-2-pairs-of-socks-759950.asp (year 1) Counting by 2 song http://www.youtube.com/watch?v=hae10bsW_CM (Year 1) Domino doubles www.yescoloring.com (Year 1) Division triangles http://www.topmarks.co.uk/Flash.aspx?f=triangularcardsv4 (Year 2) Clock face www.wyzant.com (Year 2) http://www.cimt.plymouth.ac.uk/projects/mepres/primary/pb3b_2.pdf (Links from other strands year 3) Fractions http://mathsframe.co.uk/en/resources/resource/144/fractions_of_numbers (Year 3) Arrays, Multiplication and Division article by Jennie Pennant http://nrich.maths.org/8773 (Year 4) Fractions ITP http://www.taw.org.uk/lic/itp/fractions.html (Year 4) Adding and Subtracting Fractions www.mathsframe.co.uk (Year 6, fractions) Factors www.teacherled.com (Year 6)
Additional Materials used throughout:	<ul style="list-style-type: none"> DfE Models and images for understanding and manipulating numbers in Years 1 to 3 (2003) DCSF Overcoming Barriers in Mathematics (2007) Crown Copyright; materials from CD-Roms NCETM, images to support the teaching of the 4 operations from PD Lead Support Programme training